

**Materials** for each 16" w x 16" h pillow

fat quarter **TOP print** - cut into 2 pcs 8.5" h x 16.5" w

fat quarter **BOTTOM print** - cut into 2 pcs 8.5" h x 16.5" w


1/2 solid white for **LINING** - cut into 4 pcs 8.5" h x 16.5" w

12" invisible zipper


16" pillow form

Other items: pins, point turner, fabric marker (optional), scissors or rotary cutter, ruler, iron.


1. Line up one of the LINING panels behind each of the 2 TOP and BOTTOM panels. Pin in place. *Note: you will do this for both front and back.*




2. With TOPS facing each other, sew along bottom edge using a 1/4" seam. *Note: do this for both front and back.* Open and press seam DOWN towards BOTTOM panel.



3. Topstitch 1/16" from seam on **BOTTOM** sides catching the raw edges of all 4 fabrics. *Note: do this for both front and back.*




4. Attach hidden zipper centered along bottom edge according to manufacturer's directions. Then fold, right sides together, aligning the center seams on sides. Pin in place.



5. Sew around the circumference of the pillow from one end of zipper around to the other end of zipper.

If you prefer, you can tailor the pillow with decorator's corners which will create a less pointy corner. To do this, mark with a pen a graded slant as shown then stitch on the line and trim excess.

If you prefer not to do this, simply follow the square edge with a  $1/4$ " seam.



6. Turn inside out and use a point turner to tidy the corners and press. Insert 16" pillow form.

