DOWNSTREAM QUILT PROJECT

Beginner friendly!

Featuring BOOK CLUB | Meenal Patel





INFO & MATERIALS

DOWNSTREAM QUILT PROJECT

SIZE: 46" x 58"

DESIGNER: Michelle Engel

TECHNICAL EDITOR: Linda Spiridon

This project uses 8 different fabrics See chart below for fabric quantities ½ yd binding 3½ yards backing

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

OUILT FACE MATERIALS

Cutting dimensions include 1/4" seam allowances.



FABRIC A

227509 Dot Dot Dot ½ yds needed 2- 7" x 13 ½" rectangles 4- 7 ½" x 7 ½" squares



FABRIC F

227508 Books Grow ½ yds needed 2- 7" x 13 ½" rectangles 3- 7 ½" x 7 ½" squares



FABRIC B

227510 Plant Seeds
½ yds needed
2- 7" x 13 ½" rectangles
3- 7 ½" x 7 ½" squares



FABRIC F

227503 Reading Garden ½ yds needed 2- 7" x 13 ½" rectangles 4- 7 ½" x 7 ½" squares



FABRIC C

227505 Cozy Library
½ yds needed
2- 7" x 13 ½" rectangles
3- 7 ½" x 7 ½" squares



FABRIC G

227504 Woven Stories ½ yds needed 3- 7" x 13 ½" rectangles 4- 7 ½" x 7 ½" squares



FABRIC D


227507 Rosy Glasses ½ yds needed 2- 7" x 13 ½" rectangles 3- 7 ½" x 7 ½" squares



FABRIC H 4-7 1

227506 Book Shelf ½ yds needed 3- 7" x 13 ½" rectangles 4- 7 ½" x 7 ½" squares

DIAGRAMS



ASSEMBLY DIRECTIONS

- 1. Cut pieces using chart on page 2
- 2. Cut each square in half diagonally, corner to corner [fig 1a]
- 3. Match triangle colors to their mate [fig 1b] according to QUILT LAYOUT DIAGRAM.

Pay attention to direction of fabrics as you go. Use ¼" seam allowance. Press seam.

- 4. Trim new squares to 7" x 7" $[fig\ 1c]$
- 5. Referring to QUILT LAYOUT DIAGRAM layout out the pieces and then begin to assemble the rows [fig 2].
- 6. Sew rows together as shown, pressing seams as you go.
- 7. Layer the backing, batting and quilt top. Baste, quilt and bind.

