

HUGS AND KISSES QUILT PROJECT

Beginner friendly!

Featuring **FLORIOGRAPHY** | *Jasmine Hnatkova*



5X5
FRIENDLY



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2025 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

INFO & MATERIALS

HUGS & KISSES QUILT

SIZE: 45½" x 54½"


DESIGNER: Michelle Engel

WRITTEN BY: Amy Lollis


TECHNICAL EDITOR: Linda Spiridon

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.


FABRIC REQUIREMENTS

	PRECUTS	YARDAGE
5" X 5" - FLORIOGRAPHY 	3 packs 5" squares	
BACKGROUND BG	—	1 1/4 yd
BINDING YOUR CHOICE	—	1/2 yd
BACKING YOUR CHOICE	—	3 1/2 yd

COVER QUILT FABRICS



Note: This pattern is meant to be assembled in a randomized way to your own preference. In the chart below uses 12 5x5 print positions, which may/may not match the cover image.



CUTTING DIRECTIONS

Cutting dimensions include 1/4" seam allowances.

HST = Half square triangle block

5" X 5" PRINTS :

(120) 5" x 5" squares required

BACKGROUND FABRIC :

(15) 2 3/4" x WOF strips

subcut into (240) 2 3/4" squares

BLOCK ASSEMBLY

1. Draw a diagonal line on the back side of all background squares (*fig 1*).
2. Align background square on corner of each print square. Sew on drawn line.
3. Cut 1/4" seam allowance. Press toward background square.
4. Repeat on opposite corner (*fig 2*).
5. Make 120 units.
6. Sew together into pairs, pressing open (*fig 3*).
7. Sew pairs together into 15- X-Blocks and 15- O-Blocks (*fig 4*).

BLOCK ASSEMBLY DIAGRAMS

fig 1




fig 2






fig 3




BLOCK ASSEMBLY DIAGRAMS CONT.

fig 4

X-BLOCK



O-BLOCK



QUILT TOP ASSEMBLY

8. Referring to the QUILT LAYOUT DIAGRAM sew blocks together into rows, alternating X-BLOCKS and O-BLOCKS.
9. Sew the rows together to complete the quilt top.
10. Layer the backing, batting and quilt top. Baste, quilt and bind.

QUILT TOP ASSEMBLY DIAGRAM

