

VILLAGE LIFE QUILT PROJECT

Beginner friendly!

Featuring **FOLKA** | Holli Zollinger

10X10
FRIENDLY



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2026 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

INFO & CREDITS

VILLAGE LIFE QUILT

SIZE: 48" x 68"

DESIGNER: Elizabeth Olwen

WRITTEN BY: Amy Lollis


TECHNICAL EDITOR: Linda Spiridon

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.


FABRIC REQUIREMENTS

	PRECUTS	YARDAGE
10" X 10" - FOLKA 	1 pack 10" squares (21 total)	
BACKGROUND BG	—	3 yd
BINDING YOUR CHOICE	—	1/2 yd
BACKING YOUR CHOICE	—	4 1/4 yd

RANDOMIZED PRINT LAYOUT



Note: This pattern is meant to be assembled in a randomized way to your own preference. The chart below uses 14 print positions, which may/may not match the cover image.



CUTTING DIRECTIONS

Cutting dimensions include ¼" seam allowances.

10" X 10" PRINTS:

HOUSE:

Trim (14) of the 10" squares to 7½" x 6¾" rectangles noting direction of prints when cutting. (Forms 14 houses)

ROOF:

Cut (7) of the 10" squares to (2) 7½" x 4" rectangles each (14 roof tops total)

BACKGROUND:

- (4) 7½" x 6¾" rectangles
- (2) 7½" x 10¾" rectangles
- (2) 7½" x 13" rectangles
- (11) 3" x 7½" rectangles
- (28) 4" squares

BORDERS

- (2) 10½" x WOF
- Subcut each (2) 35½" x 10½" TOP & BOTTOM*
- (4) 6½" x WOF
- Join and subcut (2) 6½" x 68½" SIDES*

DIAGRAMS



fig 1




fig 2



fig 3




fig 4

BLOCK ASSEMBLY

1. Mark a diagonal line from corner to corner on the wrong side of all 4" squares [fig 1].
2. To make the ROOF for the HOUSE, place a marked 4" square RST (right sides together), on left side of the 7½" x 4" ROOF rectangle. Sew on the line. Press seam toward the solid color, trim bottom 2 layers to ¼" seam allowance [fig 2].
3. Repeat Step 2 to the right side of the 7½" x 4" ROOF rectangle [fig 3]. Make 14.
4. Sew a finished roof (from Step 2 & 3) to a 7½" x 6¾" HOUSE rectangle noting direction of prints [fig 4]. Make 14.

QUILT ASSEMBLY

5. Follow the QUILT LAYOUT DIAGRAM for block placement, sew BACKGROUND rectangles to HOUSE BLOCKS. Sew blocks in vertical columns.
6. Sew columns together, matching seams as shown in QUILT LAYOUT DIAGRAM.
7. Sew $35\frac{1}{2}$ " x $10\frac{1}{2}$ " BACKGROUND rectangles to TOP and BOTTOM, press seams away from HOUSES.
8. Sew $6\frac{1}{2}$ " x $68\frac{1}{2}$ " BACKGROUND rectangles to each SIDE of the quilt.
9. Layer quilt top, batting, and backing. Quilt as desired and bind.

QUILT LAYOUT DIAGRAM

