

VILLAGE LIFE QUILT PROJECT

Beginner friendly!

Featuring **NICE NICE** | *Emily Taylor*



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2023 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

VILLAGE LIFE QUILT

SIZE: 48" X 67½"

DESIGNER: Elizabeth Owen

WRITTEN BY: Amy Lollis

TECHNICAL EDITOR: Linda Spiridon

This project uses (21) 10" squares
See chart below for fabric quantities
3 yd background fabric
½ yd binding
4¼ yd backing

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

CUTTING DIRECTIONS

Cutting dimensions include ¼" seam allowances.

FROM THE 10" SQUARES:

Trim (14) of the 10" squares to 7½" x 6¾" rectangles (Note direction of prints when cutting)

Cut (7) of the 10" squares to (2) 7½" x 4" rectangles each

FROM THE BACKGROUND FABRIC:

2- 35½" x 10½" rectangles

2- 6½" x 68½" rectangles

4- 7½" x 6¾" rectangles

2- 7½" x 10¾" rectangles

2- 7½" x 13" rectangles

11- 3" x 7½" rectangles

28 - 4" squares

ASSEMBLY DIRECTIONS

BLOCK ASSEMBLY

1. Mark a diagonal line from corner to corner on the wrong side of all 4" squares.[fig 1]
2. To make the roofs of the houses, place a marked 4" square RST (right sides together), on left side of the 7½" x 4" rectangle. Sew on the line. Press seam toward the solid color, trim bottom 2 layers to ¼" seam allowance. [fig 2]
3. Repeat Step 2 to the right side of the 7½" x 4" rectangle[fig 3]. Make 14.
4. Sew a roof (from Step2 & 3) to a 7½" x 6¾" rectangle noting direction of prints [fig 4]. Make 14.

DIAGRAMS




fig 1




fig 2



fig 3




fig 4

QUILT ASSEMBLY

- Follow the QUILT LAYOUT DIAGRAM for block placement, sew background rectangles to house blocks.
Sew blocks in vertical rows.
- Sew rows together, matching seams as shown in QUILT DIAGRAM.
- Sew $35\frac{1}{2}" \times 10\frac{1}{2}"$ background rectangles to top and to bottom, press seams away from houses.
- Sew $6\frac{1}{2}" \times 68\frac{1}{2}"$ rectangles to each side of the quilt.
- Layer quilt top, batting, and backing. Quilt as desired and bind.

QUILT LAYOUT DIAGRAM

