


DIAMOND PARQUET QUILT PROJECT

Beginner friendly!

Featuring **FOXWOOD** | *Jojulein Design*



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2026 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

INFO & MATERIALS

DIAMOND PARQUET QUILT

SIZE: 44" x 60"

DESIGNER: Michelle Engel

TECHNICAL EDITOR: Linda Spiridon

This project uses 4 different fabrics

See chart below for fabric quantities

½ yd binding

3⅞ yd backing

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

QUILT FACE MATERIALS

Cutting dimensions include ¼" seam allowances.

1 yd each of 4 different printed fabrics (see chart below)

Cut (14) 6¾" x 9¾" rectangles from each of the four fabrics

229394




FABRIC A

229396



FABRIC B

229388



FABRIC C

229391



FABRIC D

DIAGRAMS

fig 1




fig 2




fig 3





fig 4



fig 5



CUTTING DIRECTIONS

FABRICS C & D: cut each of the fabrics on the diagonal from upper left to lower right *[fig 1]* (28) each fabric.

FABRICS A & B: cut each of the fabrics on the diagonal from upper right to lower left *[fig 2]* (28) each fabric

ASSEMBLY DIRECTIONS

1. Sew FABRICS C & D together. Lay pieces flat RS up. Flip FABRIC D on top of FABRIC C (*right side up*), matching edges. Sew with $\frac{1}{4}$ " seam allowance. *[fig 3]* This is a bias edge, do not pull or stretch. Press seams open.
2. Sew triangles to FABRICS A & B. Lay pieces flat RS up. Flip FABRIC A on top of FABRIC B (*right side up*), matching edges. Sew $\frac{1}{4}$ " seam. *[fig 5]* This is a bias edge, do not pull or stretch. Press seams open.
3. Square up all triangles to measure 6" x 9" making sure the diagonal line meets exactly in the corner. *[fig 3 & fig 5]* It is important to have the diagonal line aligned on the ruler.
4. Layout pieced rectangles in rows referring to the QUILT LAYOUT DIAGRAM for placement.
5. Sew rectangles into rows. Sew 7 horizontal rows together, pressing seams as you go.
6. Layer the backing, batting and quilt top. Baste, quilt and bind.

QUILT LAYOUT DIAGRAM

