

Intermediate Pattern

Featuring **LEMONADE STAND** | *Softly Studio*



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2025 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

INFO & MATERIALS

CARAMEL CREAM QUILT

SIZE: 48½" x 48½"

DESIGNER: Michelle Engel

WRITTEN BY: Amy Lollis

TECHNICAL EDITOR: Linda Spiridon

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

FABRIC REQUIREMENTS


	YARDAGE
<i>Tip: Good for bigger & directional prints</i> PRINTS A-F (CENTER 'CREAM') 	1/4 yd ea
<i>Tip: Good for smaller & tossed prints</i> PRINTS G-L (OUTER 'CARAMEL') 	1/3 yd ea
BACKGROUND 	5/8 yd
BINDING 	1/2 yd
BACKING 	3 yd

COVER QUILT FABRICS


2298-60



2298-66



2298-70



2298-62



2298-59



2298-67




2298-58




2298-68




2298-57





2298-64



2298-69



2298-65



CUTTING DIRECTIONS

Cutting dimensions include 1/4" seam allowances.

FABRICS A-F  : Cut (6) 5½" squares from

FABRICS G-L  : Cut (5) 2¼" strips. Subcut (12) 2¼" x 5½" strips and (12) 2¼" x 6½" strips from each. Organize strips by color.

BACKGROUND : Cut (144) 2" squares

BLOCK ASSEMBLY

1. Sew a matching 2¼" x 5½" strip to top and bottom of each 5½" square. Press toward strips *[fig 1]*.
2. Sew a matching 2¼" x 6½" strip to each side of square, aligning center of strip to center of square. Press toward strips *[fig 2]*.
3. Turn block on diagonal. Measure 8" across (½" from side points). Trim *[fig 3]*.
4. Turn block on diagonal the other way. Measure 8" across (½" from side points). Trim *[fig 4]*. Block should now be 8" square with missing corners.
5. Place 2" background square on each corner. Sew on the diagonal *[fig 5]*. Trim ¼" from sewn line *[fig 6]*. Press toward background square *[fig 7]*.

BLOCK ASSEMBLY DIAGRAMS



fig. 1




fig. 2




fig. 3




fig. 4




fig. 5




fig. 6




fig. 7

QUILT TOP LAYOUT DIRECTIONS

6. Layout pieced blocks in rows referring to the QUILT LAYOUT DIAGRAM for placement.
7. Sew horizontal rows together, pressing seams as you go.
8. Layer the backing, batting and quilt top. Baste, quilt and bind.

QUILT LAYOUT DIAGRAM

