RUSTLING LEAVES QUILT PROJECT

Intermediate pattern

Featuring **RUSTIC AUTUMN** | *Leanne Friedberg*

5X5 FRIENDLY



CLOUD9 FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2026 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

INFO & MATERIALS

RUSTLING LEAVES QUILT

SIZE: 54½" x 63½"

DESIGNER: Michelle Engel

WRITTEN BY: Amy Lollis

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

FABRIC REQUIREMENTS

	PRECUTS	YARDAGE
5" X 5" - RUSTIC AUTUMN	2 packs 5" squares	
BACKGROUND BG	–	2 yd
STEM ACCENT SA	–	1/8 yd
BINDING YOUR CHOICE	–	1/2 yd ea
BACKING YOUR CHOICE	–	5/8 yd

COVER QUILT FABRICS

Note: This pattern is meant to be assembeled in a randomized way to your own preference. In the chart below uses 12 strip print positions, which may/may not match the cover image.



CUTTING DIRECTIONS

Cutting dimensions include ¼" seam allowances.

BG	(84) 4½" squares (168) 2" squares (84) 1½" squares
SA	(84) ¾" x 2½" strips

LEAF ASSEMBLY DIAGRAMS

fig 1 - make HST leaves



fig 2 - add corner triangles



fig 3 - make stems

fig 4 - add stems to leaves



enlargement

REFERENCE:
RST = RIGHT SIDES TOGETHER
HST = HALF SQUARE TRIANGLES

1. Draw a diagonal line on the back of (42) 5" squares. Align 5" squares in pairs, RST, with the square with the drawn line on top.

2. Sew ¼" seam on each side of the drawn line.

3. Cut on drawn line, creating (2) HST blocks. Press open and trim HST blocks to 4½" *[fig 1]*.

4. Draw a diagonal line on the back of each 2" square. Align on opposite corners of 4½" HSTs, RST, making sure the drawn line is perpendicular to the HST seam.

5. Sew on drawn line.

6. Cut ¼" from sewn line. Press open and trim toward BG squares *[fig 2]*.

7. Cut 1½" BG squares in half diagonally. Note: handle carefully so as not to warp the bias edges. Sew BG triangles to each side of ¾" x 2½" SA strips. Press toward stem strips. Trim to 1¼" *[fig 3]*.

8. Draw a diagonal line on stem unit, perpendicular to stem. Align to corner of leaf block, be ing mindful of stem direction.

9. Sew on drawn line.

10. Cut ¼" from sewn line. Press toward leaf *[fig 4]*.

10. Refer to QUILT LAYOUT DIAGRAM to finish sewing quilt blocks together, pressing rows in opposite direc

11. Sew rows together to complete quilt top.

12. Baste, quilt, and bind as desired.

QUILT LAYOUT DIAGRAM