

BURSTS QUILT PROJECT

Intermediate Quilt Pattern

Featuring **TOUCHDOWNS + TAILWAGS** | *Krissy Mast*



CLOUD9
FABRICS

organic cotton. happy you. happy earth.

© CLOUD9 FABRICS 2026 | ALL RIGHTS RESERVED | CLOUD9FABRICS.COM | FOR PERSONAL USE ONLY

INFO & CREDITS

BURSTS QUILT

SIZE: 57½" x 76½"

DESIGNER: Michelle Engel

WRITTEN BY: Amy Lollis

TECHNICAL EDITOR: Linda Spiridon

Note: All possible care has been taken to assure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

FABRIC REQUIREMENTS

	YARDAGE
OUTER POINTS 	2/3 yd ea
INNER POINTS 	1/4 yd ea
CENTERS 	
BACKGROUND 	3 1/3 yd
BINDING	1/2 yd
YOUR CHOICE	
BACKING	4 3/4 yd
YOUR CHOICE	

COVER QUILT FABRICS

2295-49



2295-46



2295-56



2295-47




2295-50




2295-48



2295-53



2295-54



2295-51



2295-60




2295-52



2295-44



2295-45



CUTTING DIRECTIONS

FABRICS A-D : Cut (12) $5\frac{5}{8}$ " squares from each.

FABRICS E-H: Cut (3) $4\frac{1}{4}$ " squares from each. Cut each square in half diagonally twice to make a total of (12) triangles from each color. Set these aside carefully so they don't warp on the bias.

FABRICS I-L: Cut (3) $7\frac{1}{4}$ " squares from each.

BACKGROUND: Cut (48) $5\frac{1}{4}$ " squares and (48) $5\frac{5}{8}$ " squares.

ASSEMBLY DIAGRAMS



fig. 1




fig. 2




fig. 3




fig. 4




fig. 5




fig. 6




fig. 7



fig. 8



fig. 9




fig. 10




fig. 11

BLOCK ASSEMBLY DIRECTIONS

1. Sew a FABRIC E triangle to the top of a FABRIC I square, centering triangle so there's a ¼" overhang on each end. Sew ¼" seam [fig. 1]. Press toward triangle.
2. Repeat on bottom [fig. 2], then opposite sides [fig. 3]. Trim to 10".
3. Repeat to make (3) FABRIC E-I combinations, (3) FABRIC F-J combinations, (3) FABRIC G-K combinations, and (3) FABRIC H-L combinations.
4. Draw a diagonal line on the back of each FABRIC A-D square. Align squares on top of background squares, [fig. 4]. Sew a ¼" seam on each side of drawn line [fig. 5]. Cut on drawn line [fig. 6]. Press toward background fabric and trim blocks to 5¼" [fig. 7].
5. Sew half square triangles (HSTS) together to make flying geese units (FGUS) [fig. 8].
6. Sew BG SQUARE + FGU + BG SQUARE. Press toward BG SQUARES [fig. 9]. Make (6) strips each of colors A-D FGUS.
9. Sew FGU + Step 2 square + FGU. Press toward FGUS [fig. 10]. Make (3) sets each of combinations A-E-I, B-F-J, C-G-K, and D-H-L.
10. Sew step 9 strips to step 10 units to complete blocks. Press open [fig. 11].

QUILT TOP ASSEMBLY DIRECTIONS

11. Layout pieced blocks in rows referring to the QUILT LAYOUT DIAGRAM for placement.
12. Sew horizontal rows together, pressing seams as you go.
13. Layer the backing, batting and quilt top. Baste, quilt and bind.

QUILT LAYOUT DIAGRAM

